

# NAPOLEON®

VENT FREE

FIREPLACES, STOVES & GAS LOG SETS



[napoleonfireplaces.com](http://napoleonfireplaces.com)



## All the features of a direct vent fireplace... without the venting

GVFT8 - The Torch™ .....	4-5
WHVF31 - The Plazmafire™ .....	6-7
GVF36 .....	8-9
GVF42 .....	10-11
GVFS20 - The Arlington™ .....	12-13
GVFS60 .....	14-15
GVFL18, GVFL24, GVFL30 .....	16-17
Napoleon's Outstanding Features .....	18-19
Options & Accessories .....	20-21
Detailed Specifications.....	22-23



GVFS60 shown in painted metallic black finish with a chrome plated trivet



## Why Napoleon®?

**Making your life easier...** Napoleon's Vent Free Collection is designed to provide you absolute comfort and control at the touch of your fingertips. It's that easy. When you install a Napoleon® vent free gas fireplace, you can rest assured that you will enjoy a lifetime of instant ambiance with reliable performance year after year.

**An investment you can count on...** Your new Napoleon® vent free gas fireplace adds value to your home while at the same time giving you uncompromising comfort and a reliable heating source. Aside from kitchen and bathroom renovations, fireplaces add the most return on your home investment.


**Create your personal design statement...** Surround yourself with a home environment that makes you feel good, relaxed and proud to reflect your decorating style. A multitude of designer options are available to create the exact statement you have been looking for.

**No power? No problem!...** We all feel vulnerable when the power goes out. Now you can weather out the storm in the comfort of your own home! A Napoleon® vent free gas fireplace requires no electricity to light or operate, a built-in millivolt system or electronic ignition with battery back-up ensures reliability even during power failures.

**Beautiful fires, best flame in the industry...** With advanced burner technology and innovative design, Napoleon's YELLOW DANCING FLAMES® are so realistic it's hard to tell the difference from a real wood burning fire.

**Authorized dealer support network...** With over 3,000 reputable authorized dealers across North America, Napoleon® works hard to provide professional, consistent training and technical education to support our dedicated team of professionals.

**Outstanding reliable warranty...** Each and every Napoleon® fireplace is designed and manufactured to strict quality testing standards and backed by the President's Limited Lifetime Warranty, guaranteed to give you the peace of mind you deserve. Napoleon® is registered under the world recognized ISO 9001-2008 quality system.





# GVFT8 - The Torch™

## Slim Modern Design

An ultra modern vent free fireplace with a slim, single torch flame design. Napoleon's GVFT8 features a Torch™ burner complete with decorative glass embers, heat resistant glass and MIRRO-FLAME™ Porcelain Reflective Radiant Panels. Ideal for new construction and renovation projects, the Torch™ can be installed in hallways, entranceways, bathrooms, bedrooms, offices and spas.

GVFT8

6,000 BTU's

15" w x 49 1/4" h as shown

Natural gas or propane

For more detailed specifications on this unit, see page 21

### Options & Accessories



Frames/Fronts  
Six Finish Options\*




LED Accent Light Kit  
Four Lights Included



Adjustable Mounting Cabinets  
Two Finish Options\*



GVFT8 shown with brushed stainless steel frame and mounting cabinet





GVFB8 shown with painted metallic black frame and mounting cabinet



MIRRO-FLAME  
Porcelain Reflective  
Radiant Panels  
(standard with unit)



# WHVF31 - The Plazmafire™

## Easy Installation

Ideal for modern and contemporary rooms, Napoleon's WHVF31 Plazmafire™ features easy installation plus all of the conveniences of a vent free gas fireplace. Virtually endless installation possibilities, it's almost as easy as hanging a picture on the wall. With an impressive 30" x 15" viewing area Napoleon's Plazmafire™ is a great addition and focal point to any room. Catalytic tiles come standard and perform as a "filter" reducing and removing combustion by-products. The Plazmafire™ comes standard with a Topaz CRYSTALINE™ ember bed and a slate brick panel that adds to the modern look!

### WHVF31

Up to 20,000 BTU's

50% flame/heat adjustment

Convex Surround: 48 3/8" w x 29 1/2" h as shown

Rectangular Surround: 43 5/8" w x 28" h as shown

Natural gas or propane

For more detailed specifications on this unit, see page 21

## Options & Accessories



Convex Surround  
Brushed Stainless Steel Finish



Safety Screen



LED Light Kit  
Two Lights Included



Rectangular Surrounds  
Three Colour Options\*



F45 & F60 Remote Controls  
On/off or thermostatic



WHVF31 shown with brushed stainless steel convex surround







WHVF31 shown with rectangular surround in painted black finish



Slate Brick Panel  
(standard with unit)



# GVF36 - 36" Fireplace

## A Multitude of Different Looks

With a multitude of designer options and a room warming 30,000 BTU's, it's no wonder the GVF36 is one of the best selling vent free fireplaces in North America. Complete with Napoleon's PHAZER® logs and advanced burner technology, the GVF36 produces beautiful YELLOW DANCING FLAMES®. The GVF36 provides cutting-edge, vent free technology with many designer options to suit your style.

### GVF36

Up to 30,000 BTU's

50% flame/heat adjustment

37 3/8" w x 35 1/2" h as shown

Natural gas or propane

For more detailed specifications on this unit, see page 21



Standard fireplace screen

## Options & Accessories



Bay Front Kit




Ornamental Insets  
Three Colour Options\*



Louvres  
Four Colour Options\*



Bevelled Trim Kits  
Four Colour Options\*



Cast Iron Surrounds  
Painted Black Finish



F45 & F60 Remote Controls  
On/off or thermostatic



Andirons  
Two Colour Options\*





GVF36 shown with painted black louvres



Decorative Sandstone  
Brick Panels



MIRRO-FLAME  
Porcelain Reflective  
Radiant Panels



# GVF42 - 42" Fireplace

## Massive Viewing Area

A stunning 42" vent free fireplace that features a multi-level burner with realistic PHAZER® logs creating a beautiful display of YELLOW DANCING FLAMES® that fill the firebox. With the easy installation of vent free technology and the optional decorative accessories, the GVF42 efficiently transforms a room into a relaxing, warm oasis with a beautiful fireplace focal point.

### GVF42

Up to 30,000 BTU's


50% flame/heat adjustment

42" w x 38 1/2" h as shown

Natural gas or propane

For more detailed specifications on this unit, see page 22

## Options & Accessories



Ornamental Insets  
Two Colour Options\*



Louvres  
Three Colour Options\*



Cast Iron Surround  
Porcelain Enamel  
Majolica Brown finish



F45 & F60 Remote Controls  
On/off or thermostatic



Andirons  
Two Colour Options\*



GVF42 shown with painted black louvres and MIRRO-FLAME Panels





GVF42 shown with painted black louvres and MIRRO-FLAME® Panels



Decorative Sandstone  
Brick Panels



MIRRO-FLAME®  
Porcelain Reflective  
Radiant Panels





# GVFS20 - The Arlington™

Good Things Come in Small Packages

The vent free GVFS20 Arlington™ stove, although compact in size, makes a powerful statement in any room. This Early American cast iron design features exquisite detail and styling that is complimentary to a wide variety of rooms. The GVFS20 features Napoleon's advanced burner system with flame/heat adjustment and a MIRRO-FLAME™ Porcelain Reflective Radiant Panel.

## GVFS20

Up to 23,000 BTU's

50% flame/heat adjustment

19 1/4" w x 25 3/8" h as shown

Natural gas or propane

For more detailed specifications on this unit, see page 22

## Options & Accessories



F45 & F60 Remote Controls  
On/off or thermostatic



Lorena slate stove top inset





GVFS20 shown with standard MIRRO-FLAME® Porcelain Reflective Radiant Panel



MIRRO-FLAME®  
Porcelain Reflective  
Radiant Panel  
(standard with unit)



Stove Top Insets (natural stone - will have variances in colour and pattern)  
Available in Lorena Slate, Ubatuba Green and Giallo Golden Brown finishes



# GVFS60 - Gas Stove

Solid Performance, Impressive Heating

The GVFS60 is known for its solid performance and impressive heating efficiencies. Now, with its new elegant fine detailing and sleek, sophisticated outer casting design, the GVFS60 offers more than just great performance. The GVFS60 is available in porcelain Majolica brown and painted metallic black finishes allowing customers to match their décor.

## GVFS60

Up to 30,000 BTU's

50% flame/heat adjustment

27" w x 30 1/2" h as shown

Natural gas or propane

For more detailed specifications on this unit, see page 22

## Options & Accessories



Cast Iron Trivet  
Painted Black Finish  
*(standard with unit)*



Cast Iron Trivet  
Chrome Plated Finish



Stove Finishes  
Two Colour Options\*



Andirons  
Painted Black Finish



F45 & F60 Remote Controls  
On/off or thermostatic



Solid cast iron, European design in porcelain enamel Majolica brown finish







GVFS60 shown in painted metallic black finish with a chrome plated trivet



Decorative Sandstone  
Brick Panels



# FIBERGLOW™ Vent Free Gas Log Sets

## Endless Possibilities

The exclusive PHAZER® logs, crafted from ceramic fibers, together with Napoleon's advanced burner system provide an excellent additional heat source with a real wood fire appearance. Napoleon's vent free gas log sets are available in three sizes, 18", 24" and 30" and come complete with a cast iron grate, painted black andirons and lava rocks/cinders.

### GVFL18 - 18" Series

Up to 40,000 BTU's  
50% flame/heat adjustment  
18" h x 24" w x 14" d  
Natural gas or propane

### GVFL24 - 24" Series

Up to 40,000 BTU's  
50% flame/heat adjustment  
18" x 28" w x 14" d  
Natural gas or propane

### GVFL30 - 30" Series

Up to 40,000 BTU's  
50% flame/heat adjustment  
18" x 34" w x 14" d  
Natural gas or propane

For more detailed specifications on these units, see page 23

## Options & Accessories



18" Series



24" Series



30" Series



3" Bevelled Trim Kits  
Two Colour Options\*



Cobblestone Brick Kit  
(for zero clearance firebox)



Zero Clearance Firebox  
Available in 36" & 42"



Decorative Door Kit  
(for zero clearance firebox)




Lava Rocks / Cinders  
(standard with log sets)



F45 & F60 Remote Controls  
On/off or thermostatic



ZCVF36 zero clearance firebox, cobblestone brick kit and GVFL24 log set







GVFL30 shown with standard lava rocks and cinders



# Outstanding Features

of Napoleon's Advanced Technology



## Advanced Burner Technology

Napoleon's sophisticated burner system offers superior flame technology. Strategically placed burner ports create the most realistic flames in the industry.

## Finely Tuned Precision Valves

Surrounded with a protective cast aluminum jacket, the precision valves allow for ultimate reliability and 100% SAFE GUARD<sup>®</sup> gas control system. Vent free models come complete with an Oxygen Depletion Sensor (ODS) for your piece of mind.

## No Power? No Problem!

No electricity required to light or operate. Reliable heat even during power failures.

## Exclusive PHAZER<sup>®</sup> Logs

Napoleon's exclusive PHAZER<sup>®</sup> logs create a natural wood fire appearance.

## Heat Circulating Blower System

The extreme heat resistant "H" class bearings featured in Napoleon's superior heat circulating blower, creates a lasting "whole home" comfort with adjustable high & low speeds.

### Decorative Panels



Decorative Sandstone Brick



MIRRO-FLAME  
Porcelain Reflective Radiant Panels



Slate Brick Panel  
(standard on WHVF31)

### Louvres



Antique Brass Finish



Brushed Stainless Steel Finish



Polished Brass Finish



Painted Black Finish

### Ornamental Insets



24 Karat Gold Plated Finish



Brushed Stainless Steel Finish




Painted Black Finish

### Stove Top Insets



Lorena Slate



Ubatuba Green



Giallo Golden Brown

### Stove Finishes



Painted Metallic  
Black Finish



Porcelain Enamel  
Majolica Brown Finish

### Cast Iron Trivets



Painted Black Finish



Chrome Plated Finish

### Andirons

Designed to stand in front of the logs and give the optimum traditional masonry look and feel. They fit directly in a bay window, bay front kit or rest inside the firebox.



### Convenient Remote Controls

Napoleon's remotes with digital and thermostatic control give you the comfort level you need at the touch of a button.



### Cast Iron Surrounds



Painted Black Finish



Porcelain Enamel Majolica Brown Finish

### Bevelled Trim Kits Available in 3" or 6"



Textured Painted  
Black Finish



Brushed Stainless  
Steel Finish



Antique Brass Finish



Polished Brass Finish



### Cobblestone Brick Kit

Included with Napoleon's Zero Clearance fireboxes, ZCVF36 & ZCVF42 to add to the real wood fire appearance.




### LED Accent Light Kit

Optional accents lights are available for Napoleon's vent free Torch<sup>®</sup> and Plazmafire<sup>™</sup> to enhance your surrounding décor and double as an exclusive NIGHT LIGHT.



### Decorative Door Kit

Available in Satin Chrome Plated finish to accent Napoleon's Zero Clearance fireboxes, ZCVF36 & ZCVF42.



### Safety Screen

Safety screens are available to protect children, pets and visitors against inadvertent contact with glass. Glass and unit temperature can get very hot.

### Lava Rocks / Cinders

Designed for placement around the logs to enhance the look and feel of Napoleon's vent free gas log sets.



### Bay Front

Bay Front complete with pull screen and standard front brick. Available for GVF36 fireplaces.



# Options & Accessories to Customize Your Fireplace

## Fronts & Frames



Decorative Frame  
White Finish



Decorative Frame  
Red Finish



Decorative Frame  
Steel Blue Finish



Decorative Frame  
Diamond Dust Pewter  
Finish



Decorative Frame  
Brushed Stainless Steel  
Finish



Decorative Frame  
Painted Metallic Black  
Finish



Mounting  
Cabinet  
Brushed Stainless  
Steel Finish



Mounting  
Cabinet  
Painted Metallic  
Black Finish



Rectangular Surround  
Diamond Dust Pewter Finish



Rectangular Surround  
Brown Finish



Rectangular Surround  
Painted Black Finish



Convex Surround  
Brushed Stainless Steel Finish

	GVFT8	WHVF31	GVF36	GVF42	GVFS20	GVFS60	GVFL18	GVFL24	GVFL30
Louvers (antique brass, polished brass, brushed stainless steel and painted black finishes)	-	-	0	0	-	-	-	-	-
Ornamental Insets	-	-	0	0	-	-	-	-	-
Bay Front Kit	-	-	0	0	-	-	-	-	-
3" Trim (antique brass, polished brass, brushed stainless steel and textured painted black finishes)	-	-	0	0**	-	-	0*	0*	0*
6" Trim (antique brass, polished brass, brushed stainless steel and textured painted black finishes)	-	-	0	0	-	-	-	-	-
Fronts & Frames (white, red, steel blue, diamond dust pewter, brushed stainless steel and painted metallic black finishes)	0	-	-	-	-	-	-	-	-
Mounting Cabinets (brushed stainless steel and painted metallic black finishes)	0	-	-	-	-	-	-	-	-
Stove Top Insets (lorena slate, ubatuba green and giallo golden brown)	-	-	-	-	0	-	-	-	-
Cast Iron Surround Kit (porcelain enamel Majolica brown and painted black finishes)	-	-	0*	0***	-	-	-	-	-
Rectangular Surrounds (painted black, brown and diamond dust pewter finishes)	-	0	-	-	-	-	-	-	-
Convex Surround (brushed stainless steel finish)	-	0	-	-	-	-	-	-	-
MIRRO-FLAME® Porcelain Reflective Radiant Panels	S	-	0	0	S	-	-	-	-
Decorative Sandstone Brick Panels	-	-	0	0	-	0	-	-	-
Traditional Andirons (painted black and 24 Karat gold plated finishes)	-	-	0	0	-	0*	0*	0*	0*
LED Accent Lights	0	0	-	-	-	-	-	-	-
Cobblestone Brick Kit	-	-	-	-	-	-	0*	0*	0*
Decorative Door Kit (satin chrome plated finish)	-	-	-	-	-	-	0*	0*	0*
Safety Screen	-	0	0	-	-	-	-	-	-
Fireplace Screen	-	-	S	S	-	-	-	-	-
Exclusive NIGHT LIGHT	0	0	-	-	-	-	-	-	-
Heat Circulating Blower Kit	-	-	0	0	0	0	0	0	0
Millivolt Wall Thermostat	-	-	0	0	0	0	0	0	0
Electronic Ignition	-	S	-	-	-	-	-	-	-
Oxygen Depletion Sensor (ODS)	S	S	S	S	S	S	S	S	S
Pre-wired For Wall Switch	-	-	S	S	-	-	-	-	-
On/off or Thermostatic Remote with Digital Screen	-	0	0	0	0	0	0	0	0

\*Painted black finish only

\*\*Brushed stainless steel finish only


\*\*\*Porcelain Enamel Majolica Brown finish only

\*If Zero Clearance firebox is also installed



## GVFT8 - The Torch™

Shown on pages 4 & 5




Model	BTU's (Input)		Height (With Cabinet)	Front Width (With Cabinet)	Depth (With Cabinet)	ODS	Efficiencies (Steady State)	Glass Door	Blower Kit	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane									
GVFT8	6,000	6,000	49 11/16"	13"	7 9/16"	Standard	99.9%	Standard	N/A	Yes	No

Certified under American National Standards: ANSI Z21.11.2B, volume II for unvented room heaters.

## WHVF31 - The Plazmafire™ - Convex

Shown on pages 6 & 7




Model	BTU's (Input)		Height		Front Width		Depth		ODS	Efficiencies (Steady State)	Glass Door	Blower Kit	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane	Actual	Framing	Actual	Framing	Actual	Framing						
WHVF31 - Convex	20,000	20,000	29 1/2"	N/A*	48 3/8"	N/A*	9 1/8"	N/A*	Standard	99.9%	Standard	N/A	Yes	Yes

Certified under American National Standards: ANSI Z21.11.2 for unvented room heaters.

## WHVF31 - The Plazmafire™ - Rectangular

Shown on pages 6 & 7




Model	BTU's (Input)		Height		Front Width		Depth		ODS	Efficiencies (Steady State)	Safety Pull Screen	Blower Kit	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane	Actual	Framing	Actual	Framing	Actual	Framing						
WHVF31 - Rectangular	20,000	20,000	28"	N/A*	43 5/16"	N/A*	7 3/8"	N/A*	Standard	99.9%	Standard	N/A	Yes	Yes

Certified under American National Standards: ANSI Z21.11.2 for unvented room heaters.

\*Consult your owner's manual for wall bracket installations.  
Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location.  
Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials.

## GVF36 - 36" Fireplace

Shown on pages 8 & 9




Model	BTU's (Input)		Height		Front Width		Depth		ODS	Efficiencies (Steady State)	Safety Pull Screen	Blower Kit	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane	Actual	Framing	Actual	Framing	Actual	Framing						
GVF36	30,000	30,000	35 1/2"	35 3/4"	37 3/8"	37 3/4"	13 1/4"	13 1/2"	Standard	99.9%	Standard	Optional	Yes	No

Certified under American National Standards: ANSI Z21.11.2, volume II for unvented room heaters.

## GVF42 - 42" Fireplace

Shown on pages 10 & 11




Model	BTU's (Input)		Height		Front Width		Depth		ODS	Efficiencies (Steady State)	Safety Pull Screen	Blower Kit	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane	Actual	Framing	Actual	Framing	Actual	Framing						
GVF42	30,000	30,000	38 1/2"	39"	42"	42 1/2"	22"	22 1/2"	Standard	99.9%	Standard	Optional	Yes	No

Certified under American National Standards: ANSI Z21.11.2, volume II for unvented room heaters.

## GVFS20 - The Arlington™

Shown on pages 12 & 13




Model	BTU's (Input)		Height	Front Width	Depth	ODS	Efficiencies (Steady State)	Safety Pull Screen	Blower Kit	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane									
GVFS20	23,000	23,000	25 3/8"	19 1/4"	15 3/4"	Standard	99.9%	Standard	Optional	Yes	No

Certified under American National Standards: ANSI Z21.11.2B, volume II for unvented room heaters.

Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location. Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials.

## GVFS60 - Gas Stove

Shown on pages 14 & 15








Model	BTU's (Input)		Height	Front Width	Depth	ODS	Efficiencies (Steady State)	Safety Pull Screen	Blower Kit	Mobile Home Certified	Electronic Ignition
	Natural Gas	Propane									
GVFS60	30,000	30,000	30 1/2"	27"	17 7/8"	Standard	99.9%	Standard	Optional	Yes	No

Certified under American National Standards: ANSI Z21.11.2B, volume II for unvented room heaters.

## Vent Free Log Sets

Shown on pages 16 & 17

Model	Minimum Size Fireplace Opening		
	Height	Width	Depth
18" GVFL18	18"	24"	14"
24" GVFL24	18"	28"	14"
30" GVFL30	18"	34"	14"







Certified under: ANSI Z21.11.2a-2008 gas fired room heater: Volume II, unvented room heaters. ANSI Z21.60b-2004 / CSA 2.26b-2004 decorative gas appliances for installation in solid-fuel burning appliances.

## Zero Clearance Kits for Vent Free Log Sets

Shown on pages 16 & 17

Model	Minimum Size Fireplace Opening		
	Height	Width	Depth
ZCVF36	32 3/4"	42 1/2"	21 1/4"
ZCVF42	35 3/4"	47 1/8"	21 1/4"



Conforms to the standard ANSI Z21.91 ventless firebox enclosures for unvented room heaters.

Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location. Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials.



Other Napoleon Products



Fireplace Inserts • Charcoal Grills • Gas Fireplaces • Waterfalls • Wood Stoves  
 Hybrid Furnaces • Electric Fireplaces • HVAC Equipment • Gourmet Grills



24 Napoleon Road, Barrie, Ontario, Canada L4M 0G8  
 103 Miller Drive, Crittenden, Kentucky, USA 41030  
 7200 Trans Canada Highway, Montreal, Quebec, Canada H4T 1A3

Tel: 705-721-1212 Fax: 705-722-6031  
[napoleonfireplaces.com](http://napoleonfireplaces.com)



Authorized Dealer

Consult your owner's manual for complete installation instructions and proper clearances to combustible materials. Check all local and national building codes and gas regulations. All specifications are subject to change without prior notice due to on-going product improvements. Flame height and activity is influenced by varying vent configurations and may not appear as shown. Products may not be exactly as shown. Napoleon is a registered trademark of Wolf Steel Ltd. © Wolf Steel Ltd. Napoleon Vent Free Appliances are certified under American National standards: ANSI Z21.11.2 column II for unvented room heaters. Vent free units are not approved in Canada and some States.

Printed in Canada  
 ADBR650 11/2012